


PIN	SIGNAL
1	COMMON
2	LV1
3	LV2
4	STI

4 PIN:

PIN	1

6	ΡI	N

PIN	SIGNAL
1	NOT USED
2	COMMON
3	LV1
4	LV2
5	STI
6	NOT USED



**120 VOLT WIRING** 

DIMENSIONS ARE Inches [mm] Engineering TOLERANCES: +/- 1/8 in (UNLESS OTHERWISE SPECIFIED APPROXIMATE SCREEN WEIGHT Typical 51 LBS 142 LBS 7/31/14

CASE COLOR

White


Stewart FILMSCREEN 1161 W. Sepulveda Blvd., Torrance, CA 90502 Customer Care (800) 762-4999 Fax (310) 326-6870

CIMA ABOVE CEILING

RESTRICTION: The information contained in the proposal is confidential and proprietary to Stewart Filmscreen Corporation, shall not be disclosed beyond the vendor company, and shall not be duplicated, used, or disclosed inwhole or in part for any purpose except to evaluate this proposal.

GREEN (GROUND)


CIAC110HW-6-2-5 Α 6 of 7 00920




PIN	SIGNAL
1	COMMON
2	LV1
3	LV2
4	STI

<u>4 PIN</u>

	2	LV1
	3	LV2
_	4	STI
INI.		



PIN	SIGNAL
1	NOT USED
2	COMMON
3	LV1
4	LV2
5	STI
6	NOT USED



220 VOLT WIRING

DIMENSIONS ARE Inches [mm] Stewart FILMSCREEN Engineering TOLERANCES: +/- 1/8 in (UNLESS OTHERWISE SPECIFIED 1161 W. Sepulveda Blvd., Torrance, CA 90502 APPROXIMATE SCREEN WEIGHT Typical Customer Care (800) 762-4999 Fax (310) 326-6870 51 LBS CREATION DATE: 142 LBS 7/31/14 CIMA ABOVE CEILING CIAC110HW-6-2-5 CASE COLOR Α 7 of 7 00920 White

**RESTRICTION**: The information contained in the proposal is confidential and proprietary to Stewart Filmscreen Corporation, shall not be disclosed beyond the vendor company, and shall not be duplicated, used, or disclosed inwhole or in part for any purpose except to evaluate this proposal.

GREEN (GROUND)