



PIN	SIGNAL
1	COMMON
2	LV1
3	LV2
4	STI

4 PIN:



PIN	SIGNAL
1	NOT USED
2	COMMON
3	LV1
4	LV2
5	STI
6	NOT USED



120 VOLT WIRING

White

DIMENSIONS ARE Inches [mm] Stewart FILMSCREEN Engineering TOLERANCES: +/- 1/8 in (UNLESS OTHERWISE SPECIFIED 1161 W. Sepulveda Blvd., Torrance, CA 90502 APPROXIMATE SCREEN WEIGHT Typical Customer Care (800) 762-4999 Fax (310) 326-6870 60 LBS CREATION DATE: 167 LBS CIMA ABOVE CEILING CIAC135HW-6-2-5 CASE COLOR


6 of 7

00920

Α


RESTRICTION: The information contained in the proposal is confidential and proprietary to Stewart Filmscreen Corporation, shall not be disclosed beyond the vendor company, and shall not be duplicated, used, or disclosed inwhole or in part for any purpose except to evaluate this proposal.

GREEN (GROUND)




PIN	SIGNAL
1	COMMON
2	LV1
3	LV2
4	STI

	•	
PIN:		



PIN	SIGNAL
1	NOT USED
2	COMMON
3	LV1
4	LV2
5	STI
6	NOT USED



220 VOLT WIRING

White

GREEN (GROUND)

DIMENSIONS ARE Inches [mm] Stewart FILMSCREEN Engineering TOLERANCES: +/- 1/8 in (UNLESS OTHERWISE SPECIFIED 1161 W. Sepulveda Blvd., Torrance, CA 90502 APPROXIMATE SCREEN WEIGHT Typical Customer Care (800) 762-4999 Fax (310) 326-6870 60 LBS CREATION DATE: 167 LBS 8/7/14 CIMA ABOVE CEILING CIAC135HW-6-2-5 CASE COLOR Α 7 of 7 00920

RESTRICTION: The information contained in the proposal is confidential and proprietary to Stewart Filmscreen Corporation, shall not be disclosed beyond the vendor company, and shall not be duplicated, used, or disclosed inwhole or in part for any purpose except to evaluate this proposal.