



# kramer

## KC-BRAINware-5

Hardware Platform with 5 Instances of  
Kramer BRAINware

| HDMI | Ethernet - RJ-45



KC-BRAINware-5 is a hardware platform with 5 instances of Kramer BRAINware software already installed on the device. KC-BRAINware-5 is designed to maximize the features and benefits of Kramer BRAINware for controlling up to 5 standard spaces (e.g. a standard space could include a scaler, monitor, lighting system, touch panel and keypad).

Kramer BRAINware is an enterprise-class, revolutionary, user-friendly, software application that enables you to execute all your room control actions straight from a computer without installing a physical Brain between the user interface and the controlled devices. Using the power of Kramer Control cloud-based control & space management platform, Kramer BRAINware enables you to operate multiple devices over Ethernet such as scalers, video displays, audio amplifiers, Blu-ray players, sensors, screens, shades, door locks, and lights.

Designing a system was never easier, with Kramer Control's programming free, intuitive drag & drop Builder. Install, configure and modify your control system without any prior knowledge in programming

## FEATURES

**Simplified AV Installation** - Control up to 5 rooms without installing a physical Brain

**Scalable to Your Installation** - Supports controlling up to 5 standard spaces

**Format Conversion** - Use Kramer FC family of control format converters to enable controlling almost any device

**Fully Customizable UI** - Using Kramer Control, easily personalize your control interface any way you like

**Space Controller** - Controls any AV device with its corresponding logic

**No Programming Required** - Install and start using the platform in minutes with no need for programming



# kramer

## TECHNICAL SPECIFICATIONS

---

Ports	4 USB: On USB 3.0 connectors 1 LAN: On an RJ-45 connector
Outputs	1 HDMI: On a female HDMI connector 1 DisplayPort: On a female Mini DisplayPort connector Note: Does not support graphic output to both the HDMI and Mini Display Port simultaneously 1 Unbalanced Audio: On a 3.5mm mini jack for headphones/speakers
General	Processor: 4th generation Intel® Dual core 1.4GHz Main Memory: 4GB, high speed Storage: 32GB, solid-state drive LAN: Gigabit LAN
Audio	Analog or embedded HDMI, S/PDIF Realtek ALC269 :
Power	Source: 19V DC Consumption: 700mA

## ACCESSORIES:

Accessories	Included: Power cord, VESA mounting bracket
Environmental Conditions	Operating Temperature 0° to +40°C (32° to 104°F) Storage Temperature -40° to +70°C (-40° to 158°F) Humidity 10% to 90%, RHL non-condensing
Product Dimensions	11.80cm x 11.50cm x 4.00cm (4.65" x 4.53" x 1.57" ) W, D, H
Product Weight	0.5kg (1.1lbs) approx
Shipping Dimensions	23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94" ) W, D, H
Shipping Weight	1.0kg (2.2lbs) approx



