

Key Features

A Collaborative Experience for the Digital Environment

Multi-Platform, Wireless, Presentation Support for:

Windows / Mac PCs / Chromebooks



iPhones / iPads / Android Phones & Tablets







Seamlessly Integrate Presentations with Content from Cloud Resources, USB or Online



Integrate Online Resources




The NovoPRO Adapts Seamlessly with Modern Business Networks


Supports Wi-Fi Hotspot Mode



Project Presentations via Ethernet or Wi-Fi Connection



- AES128 Security Encryption Protects Content
- Moderator Display Control
- PIN and Password Protection Available



NovoPRO is a superior, next-generation system for wireless presentation and collaboration. It's designed to take business meetings, conferences and corporate presentations to a new level of collaboration and interaction. Whether in a meeting, training or huddle room, NovoPRO addresses today's collaborative meetings in a clutter-free, dynamic environment for meeting productivity and comprehension, while encouraging teamwork. The presenter can wirelessly interact and share digital content with attendees — and vice versa — via their PCs, tablets or other portable devices in this modern, smart-meeting environment.

NovoPRO features 4-to-1 projection (quad screen), high-definition video streaming (up to 4K UltraHD), on-screen annotation, wireless file sharing, virtual whiteboard, QR code login and easy access to cloud-based resources.

NovoPRO, a *BYOD solution* with up to 64 Wi-Fi or eight hotspot connections, supports all major mobile devices (phones, tablets, chromebooks and laptop computers). It allows up to four people to display their device's screen simultaneously, supporting iPad, iOS, iPhone and Android.



The NovoPRO Boosts Teamwork, Discussion and Creativity

Display up to Four Windows Simultaneously on One Screen



Display 1080p Content at 60 FPS smooth video



4K Available Using a Micro SD Card

On-Screen Annotation Mark-Up and Distribution



Easy Connection via QR code



Collaborate and Interact with Powerful Features that Include iOS and Android Full Mirroring





Instantly Display Content via Launcher Buttons



Explore Limitless Presentation Possibilities


Hit the Road with the Portable, Lightweight Design



Supports Hotspot Mode with Wi-Fi



Present without a PC





CORPORATE

NovoPRO By vivitek

Tel: 855-885-2378 Web: www.vivitekusa.com Address: 46101 Fremont Blvd., Fremont CA. 94538

CPU		ARM Cortex A9 Quad-Core at 1.6 GHz		
Memory		DDR 1 GB		
Storage		Internal: 8 GB; External: MicroSD Card Slot		
Wi-Fi		802.11 AC (2.4 GHz & 5 GHz) (b/g/n) 2T2R		
Ethernet (RJ45)		10/100 (×1)		
USB		USB 2.0 Type A (×1)		
HDMI		Video Output (×1) with Audio		
Power Input		Micro USB (5.35 V @ 2A)		
Display Resolution		• XGA (1024 × 768) • 720p (1280 × 720) • WUXGA (1920 × 1200)	 WXGA (1280 × 800) 1080p (1920 × 1080) 4K (3840 × 2160) Micro SD Only 	
IR Receiver		Remote Control (×1)		
LED Indicators		GREEN (Power on); BLUE (Network Activity)		
Button		RESET		
Temperature: Operating		0° ~ 40° C; 32° ~ 104° F (Ambient)		
Storage		-20° C ~ 60° C; -4° ~ 140° F (Ambient)		
Dimension		120 x 75 x 16 mm; 4.72 x 2.95 x .63 in		
Weight		128 g, 4.5 oz		
Application	Requirements			
PC / NOTEBOOK		Chromebook		
CPU	Intel Pentium, 2 GHz	OS	Intel Pentium, 2 GHz (i3 +	

PC / NOTEBOOK		Chromebook	
СРИ	Intel Pentium, 2 GHz (i3 + recommended)	OS	Intel Pentium, 2 GHz (i3 + recommended)
os	Windows 7+ (32, or 64-bit), Mac 10.6+	RAM	4 GB +
RAM	4 GB +	Software Download	https://chrome.google.com/ webstore/search/ novoconnect
Software Download	www.vivitekusa.com/ NovoConnect		

TABLET / PHONE

Andoid OS	Andoid 3.2 + 4.0 + Recommended	iPhone / iPad OS	7.0 +
Screen Resolution	1024 x 768 + Recommended	Device Type	iPad 2 +, iPhone 4 +
Software Download	"NovoPresenter" from Play Store	Software Download	"NovoPresenter" from the App Store
ACCESSORY	LAUNCHER		
Ordering Number	QL200	4 Launcher Buttons and Launcher Pad	99

© Copyright 2015 Vivitek. Vivitek is a registered trademark of Delta Electronics, Inc. DLP® and the DLP logo are registered trademarks of Texas Instruments. All specifications are subject to change at any time.