

TBUS-203xI

PopUp Table Mount MultiConnection Solution



The TBUS203xl is a furnituremounted popup connection bus that is easily installed into a table or podium top. The TBUS203xl interface enables you to connect any equipment to systems installed in a room via five single inserts or two dual inserts and one single insert

FEATURES

Pneumatic Lift - Easy opening & closing by pressing down gently on the cover. When not in use, it lowers flush with the table

Power Input - Universal, USA, European and many other worldwide power sockets available Elegant and Rugged Rectangular Design - The sturdy and attractive anodized aluminum enclosure provides maximum connectivity in the smallest possible footprint, and at the same time is cost effective and easy to install

Installation - Requires tools and expertise to cut a 21.2cm x 12.2cm (8.4" x 4.8") rectangular hole in the surface of the furniture. Maximum table thickness is 7.6cm (3")

Note - The power socket module is not included. Purchase the countryspecific module separately



TECHNICAL SPECIFICATIONS

PORTS: 5 blank inserts

POWER SOCKET

USA 100220V AC, 50/60Hz, 5A per outlet;

ASSEMBLIES:

Germany and EU 100240V AC, 50/60Hz, 5A per outlet; Belgium and France 100240V AC, 50/60Hz, 5A per outlet;

Italy 100240V AC, 50/60Hz, 5A per outlet; Australia 100240V AC, 50/60Hz, 5A per outlet;

Israel 220V AC, 50/60Hz, 5A per outlet;

South Africa 220V AC, 50/60Hz, 5A per outlet; Switzerland 220V AC, 50/60Hz, 5A per outlet;

UK 220V AC, 50/60Hz, 5A per outlet; Brazil 220V AC, 50/60Hz, 5A per outlet

FUSE RATING: T 6.3A 250V

OPERATING TEMPERATURE +5° to +45°C (41° to 113°F)

RANGE:

OPERATING HUMIDITY RANGE: 10 to 90% RHL, noncondensing

STORAGE TEMPERATURE

RANGE:

20° to +70°C (4° to 158°F)

STORAGE HUMIDITY 5 to 95% RHL, noncondensing

RANGE:

DIMENSIONS: 14.5cm x 13.2cm x 17.3cm (5.71" x 5.2" x 6.81") W, D, H

WEIGHT: 1.4 kg (3.09 lbs) approx., 1.65kg (3.64 lbs) approx. with mounting brackets, 1.9 kg

(4.19 lbs) approx. packed product

INCLUDED

ACCESSORIES:

Cut out metal template

OPTIONS: Power socket kits, power cord



CONFIGURATIONS

TBUS-203XL(B)	PopUp Table Mount MultiConnection Solution - Black
TBUS-203XL(BC)	PopUp Table Mount MultiConnection Solution - Brushed Aluminum