KRAMER





Scan for full manual

TP-580TD, TP-580RD Quick Start Guide

This guide helps you install and use your TP-580TD, TP-580RD for the first time.

Go to <u>www.kramerav.com/downloads/TP-580TD</u> to download the latest user manual and check if firmware upgrades are available.

Step 1: Check what's in the box

TP-580TD, TP-580RD HDMI Line Transmitter / Receiver


4 Rubber feet


1 Bracket set

✓ 1 Power adapter and cord

1 Quick start guide


Step 2: Get to know your TP-580TD, TP-580RD





 \mathbf{Y}

#	Feature	Function
1	IN LED	Lights green when an active DVI source device input signal is detected.
2	OUT LED	Lights green when an active, far-end sink (acceptor) DVI output signal is detected via the HDBaseT link (a DVI signal is detected from a sink device connected to the HDBaseT receiver that is connected to this output).
3	LINK LED	Lights green when an HDBT link is established with the HDBaseT receiver.
4	ON LED	Lights green when the device receives power.
5	HDBT IN RJ-45 Connector	Connect to the RJ-45 OUT connector on a receiver (for example, TP-580RD).
6	DVI IN Connector	Connect to a DVI source.
7	PROG/NORMAL Switch	Slide to PROG to upgrade to the latest Kramer firmware via RS-232, or slide to NORMAL for normal operation.
8	RS-232 3-pin Terminal Block Connector	Connect to a laptop to control TP-580TD or perform firmware upgrade. Connect to a controller device (for example, SL-240C) to serially control a remote device (for example, the DVI OUT acceptor) that is connected to TP-580RD .
9	IR 3.5mm Mini Jack Connector	Connect to an external infrared emitter / sensor.
10	12V DC Power Connector	12V DC connector for powering the unit.



#	Feature	Function
1	IN LED	Lights green when an active far-end source DVI input signal is detected via the HDBaseT link (a DVI signal is detected from a source device connected to the HDBaseT transmitter that is connected to this input).

TP-580TD, TP-580RD Quick Start (P/N: 2900-300868QS REV 1)

#	Feature	Function
2	OUT LED	Lights green when an HDMI output device is detected.
3	LINK LED	Lights green when an HDBT link is established with the HDBaseT transmitter.
4	ON LED	Lights green when the device receives power.
5	HDBT IN RJ-45 Connector	Connect to the RJ-45 OUT connector on a transmitter (for example, TP-580TD).
6	DVI OUT Connector	Connect to a DVI acceptor.
7	PROG/NORMAL Switch	Slide to PROG to upgrade to the latest Kramer firmware via RS-232, or slide to NORMAL for normal operation.
8	RS-232 3-pin Terminal Block	Connect to a laptop to control TP-580RD or perform firmware upgrade.
	Connector	Connect to a controlled device (for example, the DVI OUT acceptor) to control it from a remote serial controller (for example, SL-240C) that is connected to TP-580TD .
9	IR 3.5mm Mini Jack Connector	Connect to an external infrared emitter / sensor.
10	12V DC Power Connector	12V DC connector for powering the unit.


Step 3: Install the TP-580TD, TP-580RD

Install TP-580TD, TP-580RD using one of the following methods:

- Attach the rubber feet and place the unit on a flat surface.
- Fasten a bracket (included) on each side of the unit and attach it to a flat surface.
 For more information go to


www.kramerav.com/downloads/TP-580TD.

Mount the unit in a rack using an optional RK-3T rack adapter.



Step 4: Connect the inputs and outputs

Always switch OFF the power on each device before connecting it to your **TP-580TD**, **TP-580RD**. For best results, we recommend that you always use Kramer high-performance cables to connect AV equipment to the **TP-580TD**, **TP-580RD**.



Step 5: Connect the power

Connect the power adapter to the **TP-580TD**, **TP-580RD** and plug the adapter into the mains electricity.

Safety Instructions

(!)

Caution: There are no operator serviceable parts inside the unit

Warning: Use only the Kramer Electronics power supply that is provided with the unit **Warning:** Disconnect the power and unplug the unit from the wall before installing

See www.KramerAV.com for updated safety information.



