

VP-506
DVI & Computer Graphics Video Scan

| DVI



The VP-506 is a high-quality scan converter for down-scaling DVI, computer graphics (VGA) and component video (YPbPr) to PAL or NTSC video. It supports VGA up to UXGA, as well as component resolutions up to 1080p

FEATURES

Converter

Max. Resolution - UXGA & 1080p

HDTV Compatible Input

Selectable Video Standards - PAL or NTSC

Memory Locations - Saves and recalls up to four setups, including picture, input, output, zoom and advanced feature setups

Built-In ProcAmp Features - Color, sharpness, contrast and brightness

Control - Front panel buttons and OSD (on screen display)

Compact Kramer TOOLS $^{\text{TM}}$ - 3 units can be rack mounted sidebyside in a 1U rack space with the optional RK3T rack adapter



TECHNICAL SPECIFICATIONS

INPUT: 1 DVII (DVID, VGA, YPbPr) on a 24pin Molex connector

OUTPUT: 1 composite video, 1Vpp/75 on an RCA connector

INPUT

RESOLUTIONS:

Up to WUXGA/1080p

CONTROLS: Front panel and OSD: ProcAmp video controls, freeze, underscan/overscan, 8

color bars

POWER

CONSUMPTION:

5V DC, 540mA

OPERATING

0° to +40°C (32° to 104°F)

TEMPERATURE:

STORAGE

40° to +70°C (40° to 158°F)

TEMPERATURE:

10% to 90%, RHL noncondensing

INCLUDED

HUMIDITY:

ACCESSORIES:

Power supply, mounting bracket

RK3T 19" rack adapter

PRODUCT

OPTIONS:

12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H

DIMENSION:

PRODUCT WEIGHT: 0.2kg (0.4lbs) approx

SHIPPING DIMENSION: 15.70cm x 12.00cm x 8.70cm (6.18" x 4.72" x 3.43") W, D, H

SHIPPING WEIGHT: 0.6kg (1.4lbs) approx

